




It ticks all the boxes

Aiphone IX is a trusted intercom system with flexible features that provides a holistic security and surveillance solution. It's popular with many security experts and ticks multiple boxes meeting the end user's requirements.



IX Series Key Features


- Peer-to-peer communication (no server required)
- IP-PBX telephone system integration
- Integrate with major access control HLI systems
- Connect remote IX sites through VPN
- · Integrate IP cameras to capture images from different angles
- Capture IX door video stream into VMS
- Record video onto microSD cards for added security
- · 2-way video communication between master stations
- · 2-way audio communication between door stations
- · Max 96dB speaker volume clear audio for noisy environment
- · Play paging messages to alert nearby people of any potential danger
- Schedule prerecorded announcements or chime sounds
- · Set call priorities as normal, priority or urgent per call origin location
- · IX Soft Master Station application with interactive map feature
- · Device health check feature to scan for issues in the whole IX system
- · Program call destination change by delay or schedule
- · Multifunction optional input and relay output feature
- · Easy setup with free IX Support Tool software
- Hearing loop option available²

Powerful Emergency/Assistance Communication System

SIP Integration

A video intercom and a telephone all-in-one


- · Program the system to transfer emergency calls directly to an emergency number.
- · Set the calls to be transferred to an after-hours phone number
- · Place and receive outside phone calls



Video Integration

Assess the situation from different angles

- With both the Intercom and CCTV camera views security personnel can quickly determine the best response to emergency situation
- · Install secondary IP cameras
- · Create an additional line of sight
- Assess situations more accurately through multiple viewing angles with picture-in-picture
- 24/7 monitoring and recording video from intercom call points can be monitored and recorded with third-party VMS/NVR systems



Emergency/Assistance intercom system for any location

Schools / Universities



- Unlimited scalability
- Integrate multiple security layers
- · SIP integration for external calling
- Peer-to-peer network means no single point of failure and eliminates the need for a central server
- · Security and communication in one
- · Intercom-over-IP technology uses existing network ingrastructure

Distribution centres



- · Max 96dB speaker volume for noisy locations
- · Connect to external siganling devices
- · Integrate multiple security layers
- · SIP integration for external calling
- · Live paging and recorded paging feature


Access Control Integration

Integrate with existing compatible HLI access control systems for centralised security

- · SIF CGI integration with Inner Range access control systems
- · SIP integration with Gallagher Security Command Centre
- · SIF CGI and SIP integration with Genetec










IX-SOFT master station with interactive map Windows compatible and easy to identify the call origination location



10 Relay outputs 4 Contact inputs



IXW-MA relay module with IX system can send email with images as well as health check reports to up to 4* emails. *1 administrator, 3 user accounts

Healthcare



- · Integrate multiple security layers
- · CCTV integration
- · Call destiation change by schedule
- · Zoning and call destination setting
- · Connect with accessibility call button switches

Parking Facilities



- · Connect patrons with security by installing communication stations throughout the facility
- · Security can answer calls from on-site or off-site security operations centre
- Integrate with VMS system for 24/7 video recording

IX-Series, Software, Devices and Tools

Master Stations

- · Easily answer emergency calls
- · Dynamic touchscreen with intuitive user interface
- · Line supervision and device check alarts users when stations are offline or not functioning
- · Assess situations more accurately through multiple viewing angles with picture-in-picture
- · See and hear activity from a central point with scan monitoring, saving time and resources
- Automated system health and conectivity check





IX-SOFT

Emergency Stations

- · SIP compatible stations make it easy to call an outside number
- · Both video and audio-only models available
- · Can fit on wall mount emergency boxes
- · Emergency call can be addressed first with priority call levels (existing calls are put on hold)







IX-DVF-2RA IX-SSA-RA





IX-SSA-2RA

Software Tools





- Intuitive and easy-to-use IX programming software
- · Programming Wizard feature for simple programming
- · No server required and IX Support Tool is available from www.aiphone.net with no additional cost

LINE SUPERVISION

 By checking the response to a ping, this feature confirms that the station is properly connected to the network.

DEVICE CHECK


(This function checks the following items to determine whether stations are operating normally or malfunctioning.)

- Speaker/Microphone
- Call Button
- Contact input


Specifications

Part numbers

- TW-AST-DVFRA Single-button video
 Blue tower with ASSISTANCE in white lettering
 Strobe and LED downlight included
- TW-AST-SSARA Single-button audio
 Blue tower with ASSISTANCE in white lettering Strobe and LED downlight included
- TW-EM-DVFRA Single-button video
 Red tower with EMERGENCY in white lettering Strobe and LED downlight included
- TW-EM-SSARA Single-button audio
 Red tower with EMERGENCY in white lettering Strobe and LED downlight included
- · Intercom included with tower
- · Non-high intensity strobe light
- · Down-light for the intercom (to be visible at night)
- Made of Zinc shield primed powder coated mild stee (stainless steel option available)







Part numbers

- · WB-AST Blue wall box with ASSISTANCE in white lettering. Strobe and LED downlight included
- WB-EM Red wall box with EMERGENCY in white lettering. Strobe and LED downlight included
- · Suits IX-DVF-RA, IX-DVF-2RA, IX-SSA-RA, IX-SSA-2RA
- · Non-high intensity strobe light
- · Down-light for the intercom (to be visible at night)
- · Made of Zinc shield primed powder coated mild steel (stainless steel option available)

